

X-2000V 203 dpi X-2300ZE 203 dpi



Industrial Label Printer | X-Series



Trusted Dependability, Quality Assured, Exceptional Value

STREAMLINED FEATURES

- Excellent Value Industrial Tabletop
- Competitive Emulations
- CSI/CSO Ribbon Selection
- Integrated Communication Interfaces
- Adjustable Sensor

INDUSTRY VERTICALS

- Healthcare
- Retail
- Transportation & Logistics
- Tradeshow Management
- Automotive
- Manufacturing

INDUSTRY APPLICATIONS

- Specimen Labeling
- Work in Process
- Parts Marking
- Product Labeling
- Compliance Labeling
- Shipping/Receiving
- Logistics Labeling

Industrial Thermal Printer Models for under \$1,000*



GENERAL SPECIFICATONS

X-2000V | X-2300ZE

		-		
PRINTER MODEL		X-2000V	X-2300ZE	
PRINT SPECIFICATIONS				
Printing Method		Direct Thermal/Thermal Transfer		
Print Resolution Printing Speed		203 dpi (8 dots/mm) Up to 6 ips (152mm/s)		
Max. Print Area		4.09" (104mm) W x 50" (1270mm) L	4.09" (104mm) W x 100" (2540mm) L	
MEDIA SPECIFICATIONS		4.09 (104HIIII) W X 30 (1270HIIII) L	4.09 (104HHI) W X 100 (2540HHI) E	
Sensor Type		Gap & I-mark		
Media Type		Roll and Fanfold		
Media Size Width		1" to 4.4" (25.4mm to 112mm)		
	Thickness	0.0025"-0.01" (0.0635-0.254mm)		
	Roll Specs	Max O.D.: 8" (203mm) / I.D.: 3" (76mm)		
Ribbon (TT only)		Width: 1"-4", Max O.D.: 3" (76mm), Paper Core: 1" (25.4mm) CSI/CSO		
FONT / SYMBOLOGIES				
Internal Fonts		5 alpha-numeric fonts from 0.049"-0.23" H	5 alpha-numeric fonts from 0.049"-0.23" H (1.25mm-6.0mm), expandable up to 24x24	
Barcode Symbologies	Linear	PPLA (only): Code 39, Code 93, Interleaved 2 of 5 (standard/with checksum digit/with human readable check digit), EAN-8, EAN-13, UPC-A, UPC-E, Postnet, Codabar, Code 128 subset A/B/C, UCC/EAN-128, UCC/EAN-128 K-MART, UCC/EAN-128, Random Weight, Plessey, HBIC, Telepen, FIM, UPC2, UPC5, GS1 Data Bar	PPLZ: Code 39 (standard/with check sum digit), Code 93 Interleaved 2 of 5 (standard/with checksum digit/with human readable check digit), EAN-8, EAN-13, UPC-A, UPC-E, Postnet, Codabar, Code 128 subset A/B/C, Code 128 Auto, UPC/EAN-Extension, Plessey, Industrial 2 of 5, Standard 2 of 5, Logmars, MSI, Code 11, GS1 DataBar	
		PPLB: Code 39 (standard/with checksum digit), Code 93, Interleaved 2 of 5 (standard/with checksum digit/with human readable check digit), EAN-8, EAN-13, UPC-A, UPC-E, Postnet, Codabar, Code 128 subset A/B/C, Code 128 UCC (Shipping Container Code), Code 128 Auto, German, Postcode, Matrix 2 of 5, UCC/EAN 128, UPC Interleaved 2 of 5, GS1 Data Bar		
		PPLZ: Code 39 (standard/with checksum digit), Code 93, Interleaved 2 of 5 (standard/with checksum digit/with human readable check digit), EAN-8, EAN-13, UPC-A, UPC-E, Postnet, Codabar, Code 128 subset A/B/C, Code 128 Auto, UPC/EAN-Extension, Plessey, Industrial 2 of 5, Standard 2 of 5, Logmars, MSI, Code 11		
	2-D	PPLA/PPLB: MaxiCode, PDF417, Data Matrix, QR code, Composite codes	PPLZ: MaxiCode, PDF417, Data Matrix, QR code	
		PPLZ: MaxiCode, PDF417, Data Matrix, QR code		
COMMUNICATION INTERFACE				
Interface Options		Parallel, RS-232, USB, PS/2 keyboard	Parallel, RS-232, USB, PS/2 keyboard, Ethernet	
MEMORY				
Memory		Flash ROM: 4MB, RAM: 8MB	Flash ROM: 8MB, RAM: 16MB	
OPERATING CHARACTERISTICS				
Power Requirements		Autoswitching 100V~240VAC, Frequency: 50/60Hz, 5A		
Environment	Operating	40°~100°F (4°~38°C) / 10%~90% non-condensing		
Storage			(-20°~50°C)	
Regulatory Approvals		CE, FCC, cTUVus, CCC, RoHS	CE, FCC, UL, CUL, CCC, RoHS	
Dimensions		9.84" (250mm) W x 16.45" (418mm) D x 10.35" (263mm) H		
Weight		24.25 lbs (11Kg)		
OPTIONS				
Printer Languages		PPLA/PPLB or PPLZ	PPLZ	
Optional Accessories		Cutter, Dispenser, RTC Card, Rewinder	Cutter, Dispenser, Rewinder	
Other Features		Printer Utility, Font Utility, Windows Driver	RTC standard, Printer Utility, Font Utility, Windows Driver	



Phone: 1-800-351-9962 Fax: 1-312-212-1800 www.barcodesinc.com

About BarcodesInc

Who We Are

BarcodesInc is North America's leading provider of •] ^& \hat{a} \hat{a}

We Owe Our Success To You

Why Choose BarcodesInc?

Dedicated Account A UbU[Yf

Our Account Managers will not compromise when it comes to providing you top-notch service. Your Account Manager is the primary point of contact for your business and makes it a priority to get to know you, your company and all your needs.

Highly-Trained Technical Support

Our technical staff has the broadest knowledge and every significant certification in the industry. One of our friendly experts is always available to suggest products and solutions for any situation.

Incredible Value

Our purchasing power means big savings for you. Whatever your project, our team will work hard to deliver a solution that fits your budget.

Largest Inventory in the Industry and Same-Day Shipping

Whatever your barcoding, mobile computing, or printing needs, we will fill your order and ship it the same & È

Premier Access to Top Manufacturers

BarcodesInc maintains strong strategic partnerships with the leading manufacturers in barcoding, mobile computing, printing and RFID.

Responsive Customer Service

Every phone call and email is responded to promptly, completely and accurately by our customer service & æ È

Easy Returns

Damaged, defective or incorrectly ordered goods may be returned without hassle.

BRANDS





Intermec

Honeywell

ODATALOGIC.











unitech





Microsoft*



symbol*

AND MORE